

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	0	waveform\$1 with weight\$1 with receiv\$3 with pin with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:15	
2	BRS	0	waveform\$1 with weight\$1 with pin with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 09:46	
3	BRS	0	waveform\$1 with weight\$1 with pin\$1 with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 09:46	
4	BRS	0	waveform\$1 with (factor\$1 or weight\$1) with pin\$1 with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 09:47	
5	BRS	6	waveform\$1 with (factor\$1 or weight\$1) and pin\$1 with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 10:40	
6	BRS	28	waveform\$1 same (factor\$1 or weight\$1) and pin\$1 with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 10:17	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	5	waveform\$1 same (factor\$1 or weight\$1) and pin\$1 with (DUT or device adj under adj test) and network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:09	
8	BRS	1	"6512989".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:27	
9	BRS	1563	702/66-71,108,122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:12	
10	BRS	167	714/742.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:30	
11	BRS	1	"5226118".PN.	USPAT; USOCR	2005/01/09 10:13	
12	BRS	1	"5235549".PN.	USPAT; USOCR	2005/01/09 10:13	
13	BRS	1	"5589763".PN.	USPAT; USOCR	2005/01/09 10:13	
14	BRS	1	"5646521".PN.	USPAT; USOCR	2005/01/09 10:13	
15	BRS	1	"5748124".PN.	USPAT; USOCR	2005/01/09 10:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
16	BRS	1	"6085341".PN.	USPAT; USOCR	2005/01/09 10:13	
17	BRS	1	"5938780".PN.	USPAT; USOCR	2005/01/09 10:14	
18	BRS	1	"5918198".PN.	USPAT; USOCR	2005/01/09 10:14	
19	BRS	1	"5781557".PN.	USPAT; USOCR	2005/01/09 10:14	
20	BRS	1	"5748124".PN.	USPAT; USOCR	2005/01/09 10:14	
21	BRS	11	optimiz\$6 with mask\$3 with waveform\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 13:45	
22	BRS	8	waveform\$1 same (factor\$1 or weight\$1) and pin\$1 with (DUT or device adj under adj test) and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:20	
23	BRS	23	waveform\$1 with (factor\$1 or weight\$1) with mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:19	
24	BRS	0	waveform\$1 with (factor\$1 or weight\$1) with mask\$3 and pin\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:19	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	0	waveform\$1 with (factor\$1 or weight\$1) with mask\$3 and (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:20	
26	BRS	113	waveform\$1 same (factor\$1 or weight\$1) same mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:20	
27	BRS	17	waveform\$1 same (factor\$1 or weight\$1) same mask\$3 same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:21	
28	BRS	4	waveform\$1 same (factor\$1 or weight\$1) same mask\$3 same compar\$4 and pin\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:21	
29	BRS	13	waveform\$1 with (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:41	
30	BRS	41	waveform\$1 same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:41	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
31	BRS	0	waveform\$1 same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and lost with point\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:42	
32	BRS	0	waveform\$1 same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and bin\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 10:42	
33	BRS	10	waveform\$1 same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:03	
34	BRS	10	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:05	
35	BRS	46	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1 or vector\$1 or matrices or matrix) and pin\$1 and (DUT or device adj under adj test) and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
36	BRS	4	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1 or vector\$1 or matrices or matrix) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and calculat\$3 with sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:07	
37	BRS	0	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1 or vector\$1 or matrices or matrix) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and calculat\$3 with los\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:08	
38	BRS	24	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1 or vector\$1 or matrices or matrix) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and calculat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:20	
39	BRS	1	"6363450".PN.	USPAT; USOCR	2005/01/09 11:12	
40	BRS	1	"6170059".PN.	USPAT; USOCR	2005/01/09 11:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
41	BRS	1	"5625780".PN.	USPAT; USOCR	2005/01/09 11:12	
42	BRS	1	"6008683".PN.	USPAT; USOCR	2005/01/09 11:12	
43	BRS	1	"4651088".PN.	USPAT; USOCR	2005/01/09 11:13	
44	BRS	4	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and calculat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:27	
45	BRS	4	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test) and mask\$3 and lost\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:18	
46	BRS	636	324/763.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:22	
47	BRS	0	"6804620".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:22	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	9	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and (pin\$1 or probe\$1) same (DUT or device adj under adj test) and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:24	
49	BRS	4	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and (pin\$1 or probe\$1) same (DUT or device adj under adj test) and mask\$3 and (internet or intranet or network\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:25	
50	BRS	350	714/724.ccls. and waveform\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:27	
51	BRS	1	714/724.ccls. and (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
52	BRS	7	"714"/\$.ccls. and (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:01	
53	BRS	1252	714/726,742.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:52	
54	BRS	416	371/27.icls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:49	
55	BRS	1563	714/726,735,742.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 13:50	
56	BRS	1	"5257268".PN.	USPAT; USOCR	2005/01/09 11:56	
57	BRS	9	"6041429".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:57	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
58	BRS	1	"6041429".uref. and waveform\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 11:58	
59	BRS	11	(output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and test\$3 with vector\$1 with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:03	
60	BRS	2	memory with (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and test\$3 with vector\$1 with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:04	
61	BRS	1	bit\$1 with (output\$1 adj pattern\$1 or waveform\$1) same (factor\$1 or weight\$1) and pin\$1 and test\$3 with vector\$1 with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:04	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
62	BRS	0	(determin\$3 or calculat\$3) with (number or count\$1) with sampl\$3 with (point\$1 or data) with mask\$3 with waveform\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:13	
63	BRS	286	(determin\$3 or calculat\$3) with (number or count\$1) with sampl\$3 with (point\$1 or data) with waveform\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:13	
64	BRS	0	(determin\$3 or calculat\$3) with (number or count\$1) with sampl\$3 with (point\$1 or data) with waveform\$1 same mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:13	
65	BRS	11	(determin\$3 or calculat\$3) with (number or count\$1) with sampl\$3 with (point\$1 or data) with waveform\$1 and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:14	
66	BRS	0	(determin\$3 or calculat\$3) with los\$3 with sampl\$3 with (point\$1 or data) with waveform\$1 and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:15	
67	BRS	5	los\$3 with sampl\$3 with (point\$1 or data) with waveform\$1 and mask\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 12:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
68	BRS	2	waveform\$1 with map\$3 with nodes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 13:25	
69	BRS	0	waveform\$1 with mask\$3 with lost with sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 13:25	
70	BRS	0	waveform\$1 with mask\$3 same lost with sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 13:25	
71	BRS	5	waveform\$1 with mask\$3 and lost with sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 13:26	
72	BRS	719	waveform\$1 and lost with sampl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 13:26	
73	BRS	0	waveform\$1 and lost with sampl\$3 with (point\$1 or data) with compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/09 13:27	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
74	BRS	8	waveform\$1 and lost with sampl\$3 with compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:27	
75	BRS	1	mask\$4 with waveform\$1 with lost\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:45	
76	BRS	3	mask\$4 with waveform\$1 same lost\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:46	
77	BRS	179	mask\$4 with waveform\$1 with (compar\$4 or differen\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:46	
78	BRS	6	mask\$4 with waveform\$1 with (compar\$4 or differen\$2) with bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/10 08:12	
79	BRS	1865	714/723,726,735,742.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/01/09 13:50	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
80	BRS	11	waveforms and lost\$3 with mask\$4 and (compar\$4 or differen\$2) with bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:14	
81	BRS	1	waveforms same memory and lost\$3 with mask\$4 and (compar\$4 or differen\$2) with bit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:16	
82	BRS	174	"702"/\$.cccls. and tsai.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:26	
83	BRS	2	"20030033099"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:52	
84	BRS	6856	370/493-495,503,468,508-510,512,516.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:53	
85	BRS	4975	342/26,28,104,107,109,113-115,118,134,139,146,147,175,195,101,159,202-204.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:54	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
86	BRS	3292	455/295,296,63.1,302-306.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:54	
87	BRS	478	375/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:07	
88	BRS	4	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with shift\$3 with (differen\$2 or compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:56	
89	BRS	0	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with shift\$3 with (differen\$2 or compar\$4) and (factor\$1 or weight\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:57	
90	BRS	64	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) and (factor\$1 or weight\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
91	BRS	7	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) and calculat\$3 with (factor\$1 or weight\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:59	
92	BRS	7	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) and calculat\$3 with (factor\$1 or weight\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:02	
93	BRS	3	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) with (factor\$1 or weight\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 08:59	
94	BRS	0	waveform\$1 and transmit\$4 with receiv\$3 with calculat\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) with (factor\$1 or weight\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
95	BRS	3	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) with (factor\$1 or weight\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:03	
96	BRS	9	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) same (factor\$1 or weight\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:24	
97	BRS	1594	375/219,220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:07	
98	BRS	1	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) same (factor\$1 or weight\$2) and pin\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:25	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
99	BRS	0	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) with (differen\$2 or compar\$4) and pin\$1 with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:27	
100	BRS	0	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) and pin\$1 with (DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:27	
101	BRS	0	waveform\$1 and transmit\$4 with receiv\$3 with (loss\$2 or lost\$3) and pin\$1 with (tester\$1 or DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:28	
102	BRS	2	waveform\$1 with (loss\$2 or lost\$3) and pin\$1 with (tester\$1 or DUT or device adj under adj test) and transmit\$4 with receiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:37	
103	IS&R	2	("5010297").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
104	BRS	0	waveform\$1 with (loss\$2 or lost\$3) with (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:38	
105	BRS	0	waveform\$1 with (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:39	
106	BRS	0	waveform\$1 same (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:39	
107	BRS	17	waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:39	
108	BRS	11	waveform\$1 and (loss\$2 or lost\$3) with (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:40	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
109	BRS	4	waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:48	
110	BRS	2	waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1 and receiv\$3 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:44	
111	BRS	2	waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1 and receiv\$3 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:45	

Type	Hits	Search Text	DBs	Time Stamp	Comments
112 BRS	3	waveform\$1 and (loss\$2 or lost\$3) same (weight\$2 or factor\$1) and driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and receiv\$3 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:45	
113 BRS	0	waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:49	
114 BRS	0	waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and communicat\$4 with network\$1 and receiv\$3 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:49	
115 BRS	89	waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:50	
116 BRS	5	waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and receiv\$3 with transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:49	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
117	BRS	15	waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and network\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:54	
118	BRS	1	waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and network\$1 and loss\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:56	
119	BRS	2	waveform\$1 same driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) and network\$1 and loss\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:58	
120	BRS	0	waveform\$1 with driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) with (weight\$2 or factor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:59	
121	BRS	0	waveform\$1 same driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) with (weight\$2 or factor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:59	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
122	BRS	0	waveform\$1 and driv\$3 with pin\$1 with (tester\$1 or DUT or device adj under adj test) with (weight\$2 or factor41)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/01/10 09:59	